

PUBLICATIONS

Monteiro, E. D. C., da Silva, C. G. N., dos Reis Martins, M., Reis, V. M., Boddey, R. M., Alves, B. J. R., Urquiaga, S. (2021). Strategy for the Sampling of Sugarcane Plants for the Reliable Quantification of N₂ Fixation Using ¹⁵N Natural Abundance. *Journal of Soil Science and Plant Nutrition*, 21(4), 2741-2752.

<https://doi.org/10.1007/s42729-021-00561-6>

dos Reis Martins, M.; Sarkis L.F.; Guareschi R.F.; Santos, C.A.; Sant'anna, S.A.C.; Zaman, M.; Jantalia, C.P.; Alves, B.J.; Boddey, R.M.; Araujo, E.S.; Urquiaga, S. A simple and easy method to measure ammonia volatilization: accuracy under field conditions. ***Pedosphere***. v.31, 255-264, 2021.

[https://doi.org/10.1016/S1002-0160\(20\)60077-7](https://doi.org/10.1016/S1002-0160(20)60077-7)

dos Reis Martins, M.; Sarkis, L.F.; Sant'Anna, S.A.C; Santos, C.A.; Araujo, K.E.; Santos, R.C.; Zaman, M.; Araujo, E.A.; Jantalia, C.P.; Boddey, R.M.; Alves, B.J.R.; Urquiaga, S. 2019. Optimizing the use of open chambers to measure ammonia volatilization in field plots amended with urea. ***Pedosphere*** v.31, 243-254, 2021.

[https://doi.org/10.1016/S1002-0160\(20\)60078-9](https://doi.org/10.1016/S1002-0160(20)60078-9)

Zaman, M., Kleineidam, K., Bakken, L., Berendt, J., Bracken, C., Butterbach-Bahl, K., ... dos Reis Martins, M. ... & Müller, C., 2021. Greenhouse Gases from Agriculture. In: **Measuring Emission of Agricultural Greenhouse Gases and Developing Mitigation Options using Nuclear and Related Techniques** (pp. 1-10). Springer, Cham.

Zaman, M., Kleineidam, K., Bakken, L., Berendt, J., Bracken, C., Butterbach-Bahl, K., ... dos Reis Martins, M. ... & Müller, C., 2021. Climate-Smart Agriculture Practices for Mitigating Greenhouse Gas Emissions. In:

Measuring Emission of Agricultural Greenhouse Gases and Developing Mitigation Options using Nuclear and Related Techniques, 303-328.

dos Reis Martins, M.; Keel, S.G., 2020. New steps towards a model-based estimation of N₂O emissions from agricultural soils in Switzerland. **Proceedings of the 18th Swiss Geoscience Meeting**, Zurich.

Bretas, I.L., Paciullo, D.S., Alves, B.J., dos Reis Martins, M., Cardoso, A.S., Lima, M.A., Rodrigues, R.A., Silva, F.F. and Chizzotti, F.H., 2020. Nitrous oxide, methane, and ammonia emissions from cattle excreta on *Brachiaria decumbens* growing in monoculture or silvopasture with *Acacia mangium* and *Eucalyptus grandis*. **Agriculture, Ecosystems & Environment**. v.295, p.106896.

<https://doi.org/10.1016/j.agee.2020.106896>

Guareschi, R.F.; dos Reis Martins, M.; Urquiaga, S.; Alves, B.J.R.; Boddey, R.M.; Sarkis, L.F. Energy use efficiency in soybean crops in different regions of Brazil. **Semina**, v. 41, p. 2991-3010, 2020.

<https://doi.org/10.1679-0359.2019v40n6Supl3p3461>

Guareschi, R.F.; dos Reis Martins, M.; Urquiaga, S.; Alves, B.J.R.; Boddey, R.M.; Sarkis, L.F. An analysis of energy efficiency and greenhouse gas emissions from organic soybean cultivation in Brazil. **Semina**, v. 41, p. 2991-3010, 2019.

<https://doi.org/10.5433/1679-0359.2020v41n6Supl2p2991>

dos Reis Martins, M.; Sant'Anna, S.A.C.; Zaman, M.; Santos, R.C.; Monteiro, R.C., Alves, B.J.R.; Jantalia, C.P.; Boddey, R.M.; Urquiaga, S. Strategies for the use of urease and nitrification inhibitors with urea: Impact on N₂O and NH₃ emissions, fertilizer-¹⁵N recovery and maize yield in a tropical soil. **Agriculture, Ecosystems and Environment**. v.247, p.54–62, 2018.

<https://doi.org/10.1016/j.agee.2017.06.021>

Sant'Anna, S.A.C.; dos Reis Martins, M.; Goulart, J.M.; Araújo, S.N.; Araújo, E.S.; Zaman, M.; Jantalia, C.P.; Alves, B.J.R.; Boddey, R.M.; Urquiaga, S. Biological nitrogen fixation and soil N₂O emissions from legume residues in an Acrisol in SE Brazil, **Geoderma Regional**. e00196, 2018.

<https://doi.org/10.1016/j.geodrs.2018.e00196>

dos Reis Martins, M.; Jantalia, C.P.; Reis, V.M.; Döwich, I.; Polidoro, J.C.; Alves, B.J.R.; Boddey, R.M.; Urquiaga, S. Impact of plant growth-promoting bacteria on grain yield, protein content, and urea-¹⁵N recovery by maize in a Cerrado Oxisol. **Plant and Soil**. v.412, p.1–12, 2017.

<https://doi.org/10.1007/s11104-017-3193-1>

dos Reis Martins, M.; Jantalia, C.P.; Polidoro, J.C.; Batista, J.N.; Alves, B.J.R.; Boddey, R.M.; Urquiaga, S. Nitrous oxide and ammonia emissions from N fertilization of maize crop under no-till in a Cerrado soil. **Soil & Tillage Research**, v.151, p.75–81, 2015.

<https://doi.org/10.1016/j.still.2015.03.004>

Gomes, R.T., Picoli, J.F., dos Reis Martins, M., Cappucio, L.P. and MATSUURA, M.D.S., 2014. **Life Cycle Analysis of Fertilizers : Farming phase** (in Portuguese). In: 8th Congress Embrapa Environment, 2014, Campinas. Campinas: Instituto Agronômico.

<https://www.alice.cnptia.embrapa.br/handle/doc/1007155>

dos Reis Martins, M.; Angers, D.A. Different plant types for different soil ecosystem services. **Geoderma**, v.237-238, p.266–269, 2015.

<https://doi.org/10.1016/j.geoderma.2014.09.013>

dos Reis Martins, M.; Angers, D.A.; Cora, J.E. Non-labile plant C contributes to long-lasting macroaggregation of an Oxisol. **Soil Biology & Biochemistry**, v.58, p.153–158, 2013.

<https://doi.org/10.1016/j.soilbio.2012.11.011>

dos Reis Martins, M.; Angers, D.A.; Cora, J.E. Carbohydrate Composition and Water-Stable Aggregation of an Oxisol as Affected by Crop Sequence under No-Till. **Soil Science Society of America Journal**, v.76, p.475–482, 2012.
<https://doi.org/10.2136/sssaj2011.0110>

dos Reis Martins, M.; Angers, D.A.; Cora, J.E. Co-accumulation of microbial residues and particulate organic matter in the surface layer of a no-till Oxisol under different crops. **Soil Biology & Biochemistry**, v.50, p.208– 213, 2012.
<https://doi.org/10.1016/j.soilbio.2012.03.024>

dos Reis Martins, M.; Cora, J.E.; Jorge, R. F.; Marcelo, A. V. Crop types influences soil aggregation and organic matter in no-tillage. **Soil & Tillage Research**, v.104, p.22–29, 2009.
<https://doi.org/10.1016/j.still.2008.11.00>